

# Wiser Power Micromodule

## Device user guide

Information about features and functionality of the device.

05/2025



# Legal Information

The information provided in this document contains general descriptions, technical characteristics and/or recommendations related to products/solutions.

This document is not intended as a substitute for a detailed study or operational and site-specific development or schematic plan. It is not to be used for determining suitability or reliability of the products/solutions for specific user applications. It is the duty of any such user to perform or have any professional expert of its choice (integrator, specifier or the like) perform the appropriate and comprehensive risk analysis, evaluation and testing of the products/solutions with respect to the relevant specific application or use thereof.

The Schneider Electric brand and any trademarks of Schneider Electric SE and its subsidiaries referred to in this document are the property of Schneider Electric SE or its subsidiaries. All other brands may be trademarks of their respective owner.

This document and its content are protected under applicable copyright laws and provided for informative use only. No part of this document may be reproduced or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), for any purpose, without the prior written permission of Schneider Electric.

Schneider Electric does not grant any right or license for commercial use of the document or its content, except for a non-exclusive and personal license to consult it on an "as is" basis.

Schneider Electric reserves the right to make changes or updates with respect to or in the content of this document or the format thereof, at any time without notice.

**To the extent permitted by applicable law, no responsibility or liability is assumed by Schneider Electric and its subsidiaries for any errors or omissions in the informational content of this document, as well as any non-intended use or misuse of the content thereof.**

---

# Table of Contents

Safety Information.....	4
Power Micromodule.....	5
For your safety .....	5
About the device.....	6
Installing the device .....	6
Pairing the device with the Wiser Hub .....	6
Configuring the device .....	10
Selecting device type .....	10
Renaming the device .....	10
Setting the device location .....	11
Changing Nominal Power .....	11
Identifying the device .....	12
Tariff .....	13
Wiser Home AI .....	13
Anti-Tripping Management.....	13
Energy Centre .....	13
Using the device.....	15
Setting alarms .....	15
Creating a schedule .....	16
Automation.....	18
Moments.....	22
Removing the device .....	24
Resetting the device .....	24
LED indication.....	25
Troubleshooting .....	25
Technical data .....	26
Compliance.....	27
Product Environmental Data.....	27
Declaration of Conformity.....	28
Trademarks.....	28

# Safety Information

## Important Information

Read these instructions carefully and look at the equipment to become familiar with the device before trying to install, operate, service, or maintain it. The following special messages may appear throughout this manual or on the equipment to warn of potential hazards or to call attention to information that clarifies or simplifies a procedure.



The addition of either symbol to a “Danger” or “Warning” safety label indicates that an electrical hazard exists which will result in personal injury if the instructions are not followed.



This is the safety alert symbol. It is used to alert you to potential personal injury hazards. Obey all safety messages that accompany this symbol to avoid possible injury or death.

### **DANGER**

**DANGER** indicates a hazardous situation which, if not avoided, **will result in** death or serious injury.

**Failure to follow these instructions will result in death or serious injury.**

### **WARNING**

**WARNING** indicates a hazardous situation which, if not avoided, **could result in** death or serious injury.

### **CAUTION**

**CAUTION** indicates a hazardous situation which, if not avoided, **could result in** minor or moderate injury.

### **NOTICE**

NOTICE is used to address practices not related to physical injury.

# Power Micromodule



CCTFR6730

## For your safety

### **⚡ ⚠ DANGER**

#### **HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH**

Safe electrical installation must be carried out only by skilled professionals. Skilled professionals must prove profound knowledge in the following areas:

- Connecting to installation networks.
- Connecting several electrical devices.
- Laying electric cables.
- Safety standards, local wiring rules and regulations.

**Failure to follow these instructions will result in death or serious injury.**

### **⚠ WARNING**

#### **HAZARD OF ELECTRIC SHOCK**

- Observe the regulations for working on live parts.
- Only actuate the device buttons using insulated auxiliary equipment that meets the requirements of EN 60900.

**Failure to follow these instructions can result in death, serious injury, or equipment damage.**

## About the device

The Wiser Power Micromodule hereinafter referred as **module** is for switching loads (up to 3000 W resistive) such as a hot water tank or a socket outlet. In combination with the Wiser app, the energy consumption can be measured and the module can be used for load shedding or demand response. Load shedding is used to balance the demand and supply of electricity. Demand response refers to the ability of devices to be automatically controlled or limited by signals sent from your power supplier to your smart meter. Up to 20 modules can be added in the same system.

## Installing the device

Refer to the installation instruction supplied with this product.

## Pairing the device with the Wiser Hub

Using the Wiser Home app, pair your module with the **Wiser Hub** to access and control the Water heater.


To pair the device:

1. On the **Home** screen, tap .
2. Tap **Devices** >  > **Appliances** > **Power Micromodule**.

**TIP:** You can also navigate by tapping **Control** >  > **Appliances** > **Power Micromodule**.

**NOTE:** The next screen shows the joining process of device.


3. Tap **Scan QR code** and allow the Wiser Home app to access your camera.



**NOTE:** If the dimmer doesn't have the QR code or **MAC Address** and **Install Code**, you can manually pair it by tapping **I can't find the correct QR code**.

However, it is highly recommended to use a QR code or **MAC Address** and **Install Code** for pairing.


- If the QR code is incorrect, a message **Incorrect QR code scanned** will appear. Tap **I can't scan the QR code**, enter the **MAC Address** and **Install Code**, and then tap **Connect**.




The Wisser Home app verifies as **Confirmed** if the **MAC Address** and **Install Code** are valid.

**NOTE:** If the **MAC Address** and **Install Code** are not visible, you can manually pair it by tapping **Skip and setup manually**.


- Once the device is validated, Follow any one of the options to pair the module based on your installation:
  - Short press the Setup/Reset button of the module 3 times.
  - Short press the mechanical push-button 3 times.  
The LED first blinks amber.



6. Wait for a few seconds until the LED turns green.  
The device is joined.



7. Tap **Next** >  and select a device type:
- **Water Heater:** Proceed to step 6.
  - **Custom:** You can customize the label type of your choice.
    - Choose an icon of your choice (A) and tap **Save** (B).



8. Tap  to enter the name of the device.
9. Tap **Next** and assign the device to a new room or an existing room and tap **Submit**.

**IMPORTANT:** The next screen shows the **Device Settings** page, where you have the option to configure the settings during the pairing process or at a later time. If you prefer to configure it later, tap **Submit**. For more information on device settings, refer to *Configuring the device*, page 10 section.

10. Tap  and enter a **Nominal power** value.

**IMPORTANT:**

- The maximum power consumed by the appliance controlled by the module is known as **Nominal power**. It is the maximum power the module can manage.
- By default, the value is 2000 W. The nominal power must be between **0 and 3000 W**.

**NOTE:** The Nominal power value will only be used for the future updates in the Wisser Home app.

11. Tap **Next** and assign the device to a new room or an existing room.

12. Tap **Submit**.


Once the pairing process is complete, the device name (example, Water Heater) is listed under **All** devices in **Home** screen.

## Configuring the device

### Selecting device type

Using the Wisier Home app, you can change the device type according to your need.

1. On the **Home** screen, tap .
2. Tap **Devices > Appliances > Water Heater**.
3. Tap  (A) and select a device type.
4. Tap **Save**.



### Renaming the device

Using the Wisier Home app, you can rename your device.

1. On the **Home** screen, tap .
2. Tap **Devices > Appliances > Water Heater > Name (A)** to rename the device.


The settings will be saved automatically.

## Setting the device location

Using the Wiser Home app, add the module to any room (such as living room, bedroom etc).

1. On the **Home** screen, tap .
2. Tap **Devices > Appliances > Water Heater > Location (A)** to assign the module to an existing room or a new room (B) and tap **Submit**.


**NOTE:** Tap **Remove from Room** to remove the device from the existing room.



## Changing Nominal Power

Nominal Power is the maximum power this device can manage. By default, the value is 2000 W. Using the Wiser Home app you can change the value if required. To change the Nominal Power value:

1. On the **Home** screen, tap .
2. Tap **Devices > Climate > Power Micromodule > Nominal Power (A)**.



3. Tap **OK** and enter a value between 0 to 3000 W.


The settings will be saved automatically.

**NOTE:** The Nominal power value will only be used for the future updates in the Wisier Home app.

## Identifying the device

Using the Wisier Home app, identify the module among the devices available in a home.

1. On the **Home** screen, tap .
2. Tap **Devices > Appliances > Water Heater > Identify (A)**.



The status LED blinks green, upon successful identification of the module.

3. Tap **OK** to finish identifying the device.

## Tariff

You can set tariff in the Wiser Home app to access your energy cost and billing data.

To accurately deliver real-time information on energy consumption, it is essential to include the relevant tariff information. The cost associated with energy consumption is determined by your specific contract type. The different contracts will have varying rates, which can affect how much you pay for the energy you use. By providing the tariff details, we can make sure that the energy consumption data reflects the most accurate costs, helping you better understand your energy usage and manage your expenses effectively.

The cost of energy consumption is based on below contract type:

- Flat rate
- Peak/Off-Peak Hours rate
- No contract

For more information on **Setting Tariff** refer to the respective System User Guide.

## Wiser Home AI

Using the Wiser Home app, you can view how the devices are controlled and scheduled for usage.

The Wiser Home AI feature automatically schedules your high-consuming devices to run during the cheapest electricity rates, helping to lower your energy bill. By enrolling devices like EV chargers or resistive water boilers, this feature shifts loads to low-tariff periods. It also helps the EV chargers to consume the excessive solar energy production. It works with variable tariffs, such as peak/off-peak rates, and requires users to answer routine questions.

For more information on Wiser Home AI refer to the respective System User Guide.

## Anti-Tripping Management

The Anti-Tripping Management prevents the circuit breaker from tripping by switching off the load (e.g. Water Heater, EV Socket) or reducing the power of the load.

The Power Consumption Management (PCM) system is an advanced algorithm designed to prevent global overconsumption. It achieves this by reducing setpoints and shutting down specific loads, ensuring that overall energy consumption stays within a predefined limit. With the integration of Wiser Home, users gain enhanced control over the loads monitored by the PCM. You can enroll up to eight loads at a time, which helps maintain the total consumption of the system below the established limit. This limit is determined by your contract specifications, so it's important to refer to the **Setting Tariff** section for information on peak and off-peak rates. Eligible devices will be automatically incorporated into the Anti-Tripping Management system, further optimizing energy usage and enhancing the overall efficiency of your home energy management.

For more information on **Anti-Tripping Management** refer to the respective System User Guide.

## Energy Centre

You can monitor your energy consumption and production even without a grid monitoring device (PowerTag E). If standalone energy devices are installed in your home, the Energy Center will be available to help you manage and monitor your energy usage.

For more information on **Energy Centre**, refer to the respective System User Guide.


## Using the device

The Water Heater Control Panel allows you to turn on or off the device and monitor the power consumption.

On the **Control** tab, tap **All** devices or a room tab where the Plug is located > **Water Heater** to access the control panel.

On the Device Control Screen, you can see the following:

- Total energy consumption in the session (A).
- Control button (On /Off ) (B).
- Schedule Mode (C) - Device can be controlled and triggered by a schedule. You can change to any one of the following schedules:
  - **Manual:** Device will start when you turn on. If it is already switched on, it will start directly.
    - NOTE:** By default, the device will be in manual schedule mode.
  - **Reduce My Bill:** This feature automatically schedule your loads when the cost is the cheapest. Refer to *Reduce My Bill*, page 13.
  - **Customised schedule:** You can create your own schedule to turn on or off your device. Refer to *Creating a schedule*, page 16.
- **Device settings (D)** - You can rename the device or remove the device from the Wisier system, change location, nominal power. Refer to *Configuring the device*, page 10.



Similarly you can control and check the current status of Water Heater from **Control** tab.

- Tap  to turn on/ off the device.

## Setting alarms


Using Wisier Home app, you can set alarms to notify overconsumption or no consumption of loads.

**NOTE:** Each device can have one overconsumption and one no consumption alarm.



To configure alarms:

1. On **Home** screen, tap .
2. Tap **Account > Notifications and Alarms > Create a new alarm.**

3. Select an alarm type.
  - **Overconsumption**
  - **No consumption**
4. Select a device from the list (A) and tap **Next**.



5. Enable the toggle switch (B) to set the alarm.
6. Tap  (**Watts**) and enter a value to set a power limit.
7. Tap  (**During**), select a time limit and tap **Set (C)**.



8. Tap **Save**.

**TIP:** You can also turn the device ON/OFF when you add it to your **Favourites**. To know more about **Favourites**, refer to the **Manage Favourites** topic in the respective System User Guide.


## Creating a schedule

The Water Heater can be controlled and triggered by a schedule. Once the schedule is set, your system will follow the active schedule. You can create or modify the schedules at any time.



To create a schedule:

1. On the **Home** screen, tap  > **Schedules** > .

2. Enter a name of the schedule (A).
3. Select a device type (B).
4. Select the list of devices (C) to which the schedule must apply.
5. Tap **Create**.



6. Tap **+** to add an event.
7. Select a state (On/Off/percentage) (D), time period (E) and tap **Set**.



**TIP:**

- You can add multiple schedules based on your requirement. Select days, tap **+**, set on/off state and time.
- You can copy the existing schedule to another schedule or to the days of your choice. Tap **📄**.
  - Tap **Schedule** and select an existing schedule and tap **Copy**.
  - Tap **Day** and select the days you want to assign and tap **Copy**.
- When the schedule begins, you can see the **until time** in the following screens:
  - Device Control Screen.
  - Control tab under the device name.
  - Favourite devices section on the home screen.

## Automation

An automation allows you to trigger an action automatically or at scheduled times when certain conditions are met. By using the Wisier Home app, you can create automations based on your needs. This example demonstrates how a device works when the condition is met.

### Creating an automation


The following is an example of creating an automation to turn off the Water Heater when it exceeds the power limit.

**NOTE:** This automation example is applicable only for users with PowerTag and module installed together.


To create an automation:

1. On the **Home** screen, tap  > **Automation** > .
2. Tap  and choose an icon that best represents your automation.
3. Enter a name of the automation (A) and select any of the following conditions to meet (B).
  - **All conditions:** All conditions must be met to trigger an automation
  - **Any condition:** Any one of the condition must be met to trigger an automation.
4. Tap **Add conditions** (C) and select any of the following (D):
  - **Device status change** (Select the device)
  - **Away Mode** (Enable or Disable)


**NOTE:** Maximum 10 conditions can be added.



5. Select a device (E) that will set the condition and then select **Instant power** (F).



6. Tap **more than** (G), enter a power value in the field (H) and tap **Set**.




**NOTE:** To remove an added condition, swipe left and tap .

7. To add an action, tap **Then > Add an action** and select any of the following (I):


**NOTE:** Maximum 10 actions can be added.

- **Control a device:** Select a device that you want to trigger.
- **Send notification:** Turn on the notification for the automation.
- **Activate a moment:** Select the moment that you want to trigger.
- **Wait:** This option allows you to add a delay in an automation sequence. You can set the wait time in increments of 1 hour and 1 minute, up to a maximum of 24 hours. This feature is useful for delaying actions within an automation.



8. Tap **Control a device > Water Heater**, then tap to turn ON/OFF.

**NOTE:** By default, the state is set to Off.




9. Tap **Set** and then tap **Save**.

The saved Automation is displayed on the **Automation** page. Tap the toggle switch to enable/disable the Automation.

## Editing an automation

To edit an automation:

1. On the **Home** screen, tap  > **Automation**.
2. Tap the automation you want to edit.
3. On the **Edit automation** page, you can:
  - Change the icon.
  - Rename the automation.
  - Change the condition or action.
4. Remove the Condition or Action by swiping it to the left and tapping the .
5. To change the order of actions, tap the **Then** option, and hold an action then drag and drop to the desired position.



6. Add a new condition or action and then tap **Save**.

## Deleting an automation

To delete an automation:

1. On the **Home** screen, tap  > **Automation**.
2. Tap the automation that you want to delete.
3. On the **Edit automation** page, tap **Delete automation** and tap **Ok**.


## Moments

Moment allows you to group multiple actions that are usually performed together. By using the Wisier Home app, you can create moments based on your needs.


### Creating a moment

To create a moment:


1. On the **Home** screen, tap  > **Moments** > .
2. Enter the name of the moment (A).
3. Tap **Add actions** (B) to select the list of devices.



4. Select the devices (C) you want to set an action and tap **Done**.



5. On the **Moment creator** page, select any one of the following device (D) and set actions.

6. Tap Off/On as per need and tap **Set**.7. Once all conditions are set, tap **Save**.

The saved moment is shown on the **Moments** tab.  
You can tap on the moment to enable it.

**TIP:**

- If you want to see the created moments on the **Home** screen, go to **Home** >  > **Home Screen** > **Moments**. Enable the toggle button to view moments on the Home screen.
- You can also rearrange the moments by tapping **Edit** from the Moments tab on the Home screen, or by tapping **Automation** > **Moments** > **Reorder**.

## Editing a moment

1. On the Home screen, tap  > **Moments** .
2. Select the moment you want to edit  .
3. On the **Moment Editor** page, you can tap each item to change the settings and tap **Save**.

## Deleting a moment

1. On the Home screen, tap  > **Moments** .
2. Select the moment you want to delete  .
3. On the **Moment Editor** page, tap **Delete** and tap **Ok**.

## Removing the device


Using the Wiser Home app, you can remove the module from the system.  
To remove the device:

1. On the **Home** screen, tap .
2. Tap **Devices > Power Micromodule > Delete (A)**.
3. Tap **Remove from System**.

Removing the device will delete all the historical data.

### NOTE:


- Removing the device will reset the module. After reset the LED turns amber indicating that the module is ready to pair with another network.
- If there is a problem while pairing or resetting the module, refer to Resetting the device manually, page 24.



## Resetting the device

Select any one of the options to reset the device to factory default mode based on your installation:

- Short press the mechanical push-button 3 times and then long press once (>10 s).
- Short press the Setup/Reset button of the module 3 times and then long press once (>10 s) on the module.



## LED indication

### Pairing the device

User Action	LED Indication	Status
Short press the push-button (PRESS) 3 times.	LED blinks amber once per second. 	Pairing mode is active for 30 seconds. When pairing is completed, LED displays green for a few seconds before turning Off. 

### Resetting the device

User Action	LED Indication	Status
Short press the push-button (PRESS) 3 times and hold it down once for > 10 s.	LED blinks red once per second. 	The device is in reset mode. The device then restarts and LED turns amber indicating that the device is ready for pairing. 

## Troubleshooting

Error	Possible cause	Solution
The device is not ready to pair after the device is removed from the app.	The device is not reset correctly.	Reset to factory default settings, refer to <a href="#">Resetting the device manually</a> , page 24.
 Data not available in the Device Control Screen.	<ul style="list-style-type: none"> <li>The device is offline.</li> <li>System/Hub is unable to receive data from the device.</li> <li>Ethernet connection is incorrect</li> </ul>	Restart the device. Also, ensure to correct the Ethernet connection.
 <b>We are unable to implement your schedule and are working on fixing it as soon as possible.</b> displayed in the <b>Reduce My Bill</b> page.	Internet or technical issue.	Wait for sometime until the schedule is available.

## Technical data

Nominal power rating for load type		
	Incandescent lamp	2200 W
	LED	200 W
	Motor	1180 W
	Electronic step-down converter	500 VA
<b>R</b>	Resistance	3000 W
<b>C</b>	Capacitance	10 A, 25 $\mu$ F
<b>L</b>	Inductance	5 A, $\cos \varphi = 0.6$

<b>Power supply</b>	230 V AC, 50 Hz
<b>Switching capabilities</b>	230 V AC, 14 A
<b>Power consumption</b>	< 1 W
<b>Max. Power</b>	3000 W, Integrated Zero crossing
<b>Operation Ambient temperature</b>	-20 °C to 35 °C
<b>Protection rating</b>	IP20
<b>RF Protocol</b>	Zigbee 3.0
<b>Radio frequency range</b>	2.4 GHz
<b>Dimensions (W x L x H)</b>	40 x 44 x 16.9 mm
<b>Max. radio-frequency power transmitted</b>	< 10 mW

# Compliance

## Product Environmental Data

Find and download comprehensive environmental data about your products, including RoHS compliance and REACH declarations as well as Product Environmental Profile (PEP), End-of-Life instructions (EOL) and much more.

<https://www.se.com/myschneider>



## General information about Schneider Environmental Data Program

Click the link below to read about Schneider Electric's Environmental Data Program.

<https://www.se.com/ww/en/about-us/sustainability/environmental-data-program/>



---

## Declaration of Conformity

Hereby, Schneider Electric Industries SAS, declares that this product is in compliance with the essential requirements and other relevant provisions of RADIO EQUIPMENT DIRECTIVE 2014/53/EU and the Radio Equipment Regulations SI 2017 No. 1206.

Declaration of conformity can be downloaded on:

- <https://www.go2se.com/ref=CCTFR6730>

## Trademarks

This guide makes reference to system and brand names that are trademarks of their relevant owners.

- Zigbee® is a registered trademark of the Connectivity Standards Alliance.
- Apple® and App Store® are brand names or registered trademarks of Apple Inc.
- Google Play™ Store and Android™ are brand names or registered trademarks of Google Inc.
- Wi-Fi® is a registered trademark of Wi-Fi Alliance®.
- Wiser™ is a trademark and the property of Schneider Electric, its subsidiaries and affiliated companies.

Other brands and registered trademarks are the property of their respective owners.



Schneider Electric  
35 rue Joseph Monier  
92500 Rueil Malmaison  
France

+ 33 (0) 1 41 29 70 00

[www.se.com](http://www.se.com)

As standards, specifications, and design change from time to time, please ask for confirmation of the information given in this publication.

© 2023 – 2025 Schneider Electric. All rights reserved.

DUG\_Power\_Micromodule\_WH-05